EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	61	(cpu with (inbound ingress incoming) with (queue fifo buffer)) same ((interface port) with (outbound egress outgoing) with (queue fifo buffer))	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2008/08/03 11:51
L2	54	L1 and (@ad<="20030930" or @rlad<="20030930")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/03 11:51
L3	54	L2 and (@ad<="20030930" or @rlad<="20030930")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/03 11:51
L4	54	L1 and (@ad<="20030930" or @rlad<="20030930")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/03 11:53
L5	963	(cpu processor microprocessor) near3 (internal integrated on? board) near3 (fifo queue buffer)	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2008/08/03 11:54
L6	46	L5 and ((interface port I/F I/O) near3 (internal integrated on? board) near3 (fifo queue buffer))	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2008/08/03 11:54
L7	44	L6 and (@ad<="20030930" or @rlad<="20030930")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/03 11:54
L8	5	(((cpu processing) near3 (core)) with (inbound incoming ingress) near3 (queue fifo buffer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/03 11:55
S1	2	"20040100980".did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/19 15:17

S2	21	location with (translation near3 table) with (receiv$4) with (data information)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/19 15:26
S3	1723	location with (table) with (receiv$4) with (data information)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/19 15:26
S4	7639	(location address) with (table) with (receiv$4) with (data information)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/19 15:26
S5	236	(location address) with (translation near3 table) with (receiv$4) with (data information)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/19 15:29
S6	53	S5 and (queue fifo)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/19 15:29
S7	26	(receiv$4) with (data information) with (index pointer handle) with (translation near3 table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/19 16:23
S8	6	"2004100980".did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/21 17:48
S9	2	"20040100980".did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/21 17:56
S10	1589	(I?O input?output) near3 (port interface I?F) with (output outbound egress) near3 (queue fifo buffer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/21 18:05
S11	579	S10 and (memory with (input inbound ingress) near3 (queue fifo buffer))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/21 18:06

S12	534	S11 and (@ad<="20030930" or @rlad<="20030930")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 23:24
S13	176	(I?O input?output) near3 (port interface I?F) with (output outbound egress) near3 (queue fifo)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/21 18:05
S15	58	S13 and (memory with (input inbound ingress) near3 (queue fifo))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/21 18:06
S16	54	S15 and (@ad<="20030930" or @rlad<="20030930")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/21 18:07
S17	1589	(I?O input?output) near3 (port interface I?F) with (output outbound egress) near3 (queue fifo buffer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/25 09:48
S18	579	S17 and (memory with (input inbound ingress) near3 (queue fifo buffer))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/25 09:48
S19	50	S18 and ((queue buffer fifo) near3 (index pointer))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/25 09:49
S20	2	"20040100980".did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/27 06:50
S21	2	"20040100980".did.	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2007/07/30 09:38
S22	2	"20040100980".did. and (line near3 card)	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2007/07/30 10:06

S23	506	(cpu with (inbound ingress incoming) with (queue fifo buffer))	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2007/07/30 10:07
S24	48	(cpu with (inbound ingress incoming) with (queue fifo buffer)) same ((interface port) with (outbound egress outgoing) with (queue fifo buffer))	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2007/07/30 10:52
S25	41	S24 and (@ad<="20030930" or @rlad<="20030930")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 11:02
S26	9	("20020083270" | "20040128346" | "20040139365" | "20050071424" | "20050071556" | "20050267986" | "6751703" | "6754769" | "6970972").PN. OR ("7136959").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/07/30 10:19
S27	232	((cpu processor micoprocessor) with (inbound ingress incoming) with (queue fifo buffer)) same ((interface port) with (outbound egress outgoing) with (queue fifo buffer))	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2007/07/30 10:53
S28	41	S25 and (@ad<="20030930" or @rlad<="20030930")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 10:53
S29	204	S27 and (@ad<="20030930" or @rlad<="20030930")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 11:18
S30	645	((line near3 I/O) near3 (queue fifo buffer))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 11:01
S31	0	((line near3 I/O) near3 (outbound outgoing egress) near3 (queue fifo buffer))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 11:02

S32	11	((line near3 (I/O I/F interface)) near3 (outbound outgoing egress) near3 (queue fifo buffer))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 11:16
S33	11	S32 and (@ad<="20030930" or @rlad<="20030930")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 13:25
S34	912	(((port I/O I/F interface)) near3 (outbound outgoing egress) near3 (queue fifo buffer))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 11:17
S35	291	(interface near3 (outbound outgoing egress) near3 (queue fifo buffer))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 11:17
S36	31	((line switch) near3 interface near3 (outbound outgoing egress) near3 (queue fifo buffer))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 11:17
S37	31	S36 and (@ad<="20030930" or @rlad<="20030930")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 11:18
S38	916	(cpu processor microprocessor) near3 (internal integrated on?board) near3 (fifo queue buffer)	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2007/07/30 12:21
S39	2	(cpu processor microprocessor) near3 (internal integrated on?board) near3 (inbound ingress incoming) near3 (fifo queue buffer)	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2007/07/30 12:20
S40	201	(cpu) near3 (internal integrated on?board) near3 (fifo queue buffer)	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2007/07/30 12:21
S41	41	S38 and ((interface port I/F I/O) near3 (internal integrated on?board) near3 (fifo queue buffer))	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2007/07/30 12:22

S42	39	S41 and (@ad<="20030930" or @rlad<="20030930")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 12:35
S43	169	S40 and (@ad<="20030930" or @rlad<="20030930")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/31 11:51
S44	20	(line near3 card) near3 (processor cpu microprocessor) near3 (fifo buffer queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 12:36
S45	1937	(((virtual logical) and (physical)) near3 (fifo buffer queue))	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2007/07/30 13:25
S46	57	S34 and S45	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2007/07/30 13:25
S47	48	S46 and (@ad<="20030930" or @rlad<="20030930")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 13:27
S49	5	((cpu processing) near3 (core)) with (inbound incoming ingress) near3 (queue fifo buffer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 13:33
S50	868	(interface port) near3 (outbound outgoing egress) near3 (buffer queue fifo)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 13:36
S51	13	(line near3 card) with (((interface port) near3 (outbound outgoing egress) near3 (buffer queue fifo))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 13:39
S52	33	(card) with ((interface port) near3 (outbound outgoing egress) near3 (buffer queue fifo))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 14:22

S53	9	(card) with ((cpu processor microprocessor) near3 (inbound incoming ingress) near3 (buffer queue fifo))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 14:23
S54	0	(line near3 card) with table with ((head consumer) and (tail produce)) with (pointer index)	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2007/07/30 23:02
S55	0	(line near3 card) with table with ((head consumer) and (tail producer)) with (pointer index)	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2007/07/30 23:03
S56	0	(line near3 card) same (table with ((head consumer) and (tail producer)) with (pointer index))	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2007/07/30 23:03
S57	250	(table with ((head consumer) and (tail producer)) with (pointer index))	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2007/07/30 23:13
S58	13	S57 and (line near3 card)	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2007/07/30 23:13
S59	46	(table with ((head consumer) and (tail producer)) with (index))	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2007/07/30 23:13
S60	0	S59 and (line near3 card)	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2007/07/30 23:13
S61	1174	(table with index with (producer consumer head tail))	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2007/07/30 23:16
S62	0	(line near3 card) with (table with index with (producer consumer head tail))	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2007/07/30 23:16

S63	8	(line near3 card) and (table with index with (producer consumer head tail))	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2007/07/30 23:19
S64	134	(line near3 card) and (table with index with (producer consumer head tail source destination))	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2007/07/30 23:19
S65	4	(line near3 card) with (table with index with (producer consumer head tail source destination))	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2007/07/30 23:21
S66	13	(line near3 card) same (table with index with (producer consumer head tail source destination))	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2007/07/30 23:23
S67	110	S64 and (@ad<="20030930" or @rlad<="20030930")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 23:39
S68	46	(table with ((producer tail) and (consumer head)) with index)	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2007/07/30 23:38
S69	28	(switch router) and (table with ((producer tail) and (consumer head)) with index)	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2007/07/30 23:34
S70	38	S68 and (@ad<="20030930" or @rlad<="20030930")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 23:39
S71	11	(table with ((consumer head) and (producer tail)) with (index pointer) with source)	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2007/07/31 11:42
S72	98	(table with (queue buffer fifo) with (index pointer) with source)	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2007/07/31 11:50

| S73 | 65 | S72 and ((line near3 card) switch router) | US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB | OR | ON | 2007/07/31 11:50 |
| S74 | 53 | S73 and (@ad<="20030930" or @rlad<="20030930") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/07/31 11:51 |

8/3/2008 11:57:35 AM
C:\Documents and Settings\ESorrell\My Documents\EAST\Workspaces\10675166.wsp